

**2032R Compact Utility Tractor**

A.1




2013 Model (Serial No. 1LV2032R++H110001- )

*(specifications and design subject to change without notice)*

**Product Identification Number, 17-Digit, Machines Built Before January 2016**

An individual product identification and serial number is assigned to each machine. When writing about or filling out warranty claims, use all the characters shown on the plate.

LV506059 A.1



LV506059

1 - Tractor World Manufacturing Code	1
2 - Tractor Manufacturer	LV - John Deere Augusta Works
3 - Tractor Series	2
4 - Tractor Engine HP	032
5 - Tractor Family	R
6 - Check Letter	+
7 - Calender Year	+
8 - Type of Transmission	H - Hydro Dual Pedal
9 - Tractor Model Year	3 - 3rd year
10 - Platform Identifier	1 - OOS
11 - Tractor Serial Number	0001

**Product Identification Number, 17-Digit, Machines Built After January 2016**

An individual product identification and serial number is assigned to each machine. When writing about or filling out warranty claims, use all the characters shown on the plate.

LV506060 A.2

1
2
3
4
5
6
7
8
9
10  
 \* 1 LV 2 032 R + G G 1 0000 \*

LV506060

1 - Tractor World Manufacturing Code	1
2 - Tractor Manufacturer	LV - John Deere Augusta Works
3 - Tractor Series	2
4 - Tractor Engine HP	032
5 - Tractor Family	R
6 - Check Letter	+
7 - Calender Year	G - 2016
8 - Tractor Model Year	G - 2016
9 - Platform Identifier	1 - OOS (R4)
10 - Tractor Serial Number	00001

**Calendar Year / Model Year**

Year	Code	Year	Code	Year	Code	Year	Code
2008	8	2018	J	2028	W	2038	8
2009	9	2019	K	2029	X	2039	9
2010	A	2020	L	2030	Y	2040	A
2011	B	2021	M	2031	1	2041	B
2012	C	2022	N	2032	2	2042	C
2013	D	2023	P	2033	3	2043	D
2014	E	2024	R	2034	4	2044	E
2015	F	2025	S	2035	5	2045	F
2016	G	2026	T	2036	6	2046	G
2017	H	2027	V	2037	7	2047	H

**Product Identification and Serial Number Plate**

An individual product identification and serial number is assigned to each machine. When writing about or filling out warranty claims, use all the characters shown on the plate.

Example: 1LV2032R++H110001

1LV-	Factory Designation (Augusta, GA)
2032-	Model Or Machine Designation 2032 Compact Utility Tractor
R-	Configuration Code
+-	Random Number
H-	Calendar Year
110001-	Serial Number

**Product Configuration Code**

The configuration "Alpha" code identifies a variation of a product. (example: a 116 Lawn Tractor may be manufactured as a hydrostatic or manual unit, and be shipped with a 970 mm or 1170 mm mower. Four variations of the 116 lawn tractor exist.) it also identifies different products which have the same model or machine designation. (example: 216 Tractor and 216 Tiller) if no configuration "Alpha" code is required, space is filled in with an "X".

**Serial Number Listing Information**

Serial number information is listed to show on which machines each part can be used; for example:

- The part can be used on all products.
- 000000 - The part can be used on products beginning with the serial number listed.
- 000000 The part can be used on products up to and including the serial number listed.
- 000000 - 000000 The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

**To The Customer**

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

**SI Units of Measure**

Metric dimensions are provided as applicable throughout this parts catalog.

**Bolt and Cap Screw Strength Identification**

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

**Illustrations**

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

### Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

### Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

### Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

### John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.

### Ag and Turf Turf and Utility — Trademarks

7-Iron™	Quik-Trak™	Mulch On Demand™
Aercore™	Ready To Mow™	Trail Gator™
Auto 4x4 Wheel Drive™	RGator™	Turf Gator™
AutoConnect™	Roll-Gard™	X700™
AutoTrac™	iMatch™	ZTrak™
Buck™	John Deere™	Funk™
Gator™	SelectSpray™	iTorque™
Greens Tender™	TerrainCut™	Phoenix™
Precision Cut Reel™	E-Gator™	PowerTech™
PrecisionCut™	eHydro™	TMII™
ProGator™	EZtrak™	TMIII™

**Ag and Turf Turf and Utility — Terms and Abbreviations**

Phrase	Meaning	Phrase	Meaning
A/C	Air Conditioning	NSEP	Not Supplied Separately
ALSO ORDER	Also Order	OD	Outside Diameter
AND	and	OOS	Open Operator's Station
APPL	This Application Only	OPTION	Option
AR	As Required	OPTIONAL	Optional
ASSY	Complete Assembly	OR	Or
CNLA	Complete No Longer Available (Order Individual Parts)	ORD	Order
COMPLETE	Complete	ORD W/	Order With
CTL	Cut To Length	OS	Oversize
CW	Clockwise	OUTER	Outer
ECU	Engine Control Unit	PKG	Package of
FI	Field Installation Kit	PTO	Power Take-Off
FIP	Fuel Injection Pump	RATIO	Ratio
FOR	For	RCU	Reverser Control Unit
FRONT	Front	REAR	Rear
HS, HEAD MARKED	High Strength, Head Marked	REMAN	Remanufactured
HTC	Heater Control Unit	RH	Right Hand
ID	Inside Diameter	SCV	Selective Control Valve
INCL	Includes	STD	Standard
INCL KEYS	Including Keys	SUB	Replaced by
INCLUDE PARTS MARKED	Include Parts Marked	SUB COMPONENTS	Sub Components
INNER	Inner	SUB FOR	Substitute for
KIT	Kit	TK	Thickness
LGTH	Length	UIM	User Interface Module
LH	Left Hand	UP	Upper
LOW	Lower	US	Undersize
MARKED	Marked	USE WITH	Use With
MF	Made From	W/	With
MFWD	Mechanical Front Wheel Drive	W/O	Without
NA	Not Applicable	Z	Gear and Sprocket Teeth Number
NLA	No Longer Available		