2305 Compact Utility Tractor

MP36612 A.1



2005 Model (Serial No. LV2305H100001-200000)
2006 Model (Serial No. LV2305H200001-320000)
2007 Model (Serial No. LV2305H320001-420000)
2008 Model (Serial No. LV2305H420001-520000)
2009 Model (Serial No. LV2305H520001-620000)
2010 Model (Serial No. LV2305H620001-)

For Attachment(S), See PC1936, PC2082, PC9423, PC9426, PC9481, PC9489, PC9629

(SPECIFICATIONS AND DESIGN SUBJECT TO CHANGE WITHOUT NOTICE)

Product Identification And Serial Number Plate

An individual product identification and serial number is assigned to each machine. When writing about or filling out warranty claims, use all the characters shown on the plate.

Example: LV2305H100001

LV-Factory Designation (Augusta, GA)
2305–Model Or Machine Designation 2305 Compact Utility Tractor
H-Configuration Code H: Hydrostatic Transmission
100001–Serial Number

Product Configuration Code

The configuration "alpha" code identifies a variation of a product. Example: A machine may be manufactured as a two-wheel or four-wheel drive unit, and be shipped with standard or wide cutting units; thus four variations of the same machine exist. It also identifies different products which have the same model or machine designation (a tractor and an attachment tiller may have the same model numbers). If no configuration "alpha" code is required, space is filled in with an "X".

Serial Number Listing Information

Serial number information is listed to show on which machines each part can be used; for example:

	–		The part can be used on all products.
000000	–		The part can be used on products beginning with the serial number listed.
	–	000000	The part can be used on products up to and including the serial number listed.
000000	–	000000	The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

To The Customer

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

SI Units of Measure

Metric dimensions are provided as applicable throughout this parts catalog.

Bolt and Cap Screw Strength Identification

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

Illustrations

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.

Ag and Turf Turf and Utility — Trademarks

7-Iron™	Quik-Trak™	Mulch On Demand™
Aercore™	Ready To Mow™	Trail Gator™
Auto 4x4 Wheel Drive™	RGator™	Turf Gator™
AutoConnect™	Roll-Gard™	X700™
AutoTrac™	iMatch™	ZTrak™
Buck™	John Deere™	Funk™
Gator™	SelectSpray™	iTorque™
Greens Tender™	TerrainCut™	Phoenix™
Precision Cut Reel™	E-Gator™	PowerTech™
PrecisionCut™	eHydro™	TMII™
ProGator™	EZtrak™	TMIII™

Ag and Turf Turf and Utility — Terms and Abbreviations

Phrase	Meaning		Phrase	Meaning
A/C	Air Conditioning		NSEP	Not Supplied Separately
ALSO ORDER	Also Order		OD	Outside Diameter
AND	and		OOS	Open Operator's Station
APPL	This Application Only		OPTION	Option
AR	As Required		OPTIONAL	Optional
ASSY	Complete Assembly		OR	Or
CNLA	Complete No Longer Available (Order Individual Parts)		ORD	Order
COMPLETE	Complete		ORD W/	Order With
CTL	Cut To Length		OS	Oversize
CW	Clockwise		OUTER	Outer
ECU	Engine Control Unit		PKG	Package of
FI	Field Installation Kit		PTO	Power Take-Off
FIP	Fuel Injection Pump		RATIO	Ratio
FOR	For		RCU	Reverser Control Unit
FRONT	Front		REAR	Rear
HS, HEAD MARKED	High Strength, Head Marked		REMAN	Remanufactured
HTC	Heater Control Unit		RH	Right Hand
ID	Inside Diameter		SCV	Selective Control Valve
INCL	Includes		STD	Standard
INCL KEYS	Including Keys		SUB	Replaced by
INCLUDE PARTS MARKED	Include Parts Marked		SUB COMPONENTS	Sub Components
INNER	Inner		SUB FOR	Substitute for
KIT	Kit		TK	Thickness
LGTH	Length		UIM	User Interface Module
LH	Left Hand		UP	Upper
LOW	Lower		US	Undersize
MARKED	Marked		USE WITH	Use With
MF	Made From		W/	With
MFWD	Mechanical Front Wheel Drive		W/O	Without
NA	Not Applicable		Z	Gear and Sprocket Teeth Number
NLA	No Longer Available			