


Introduction and Product Identification

EX568089 A.1



EX568089

John Deere 440E Round Baler
(Manufactured 2017 – 2020)

(Specifications And Design Subject To Change Without Notice.)

To The Customer

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

SI Units of Measure

Metric dimensions are provided as applicable throughout this parts catalog.

Bolt and Cap Screw Strength Identification

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

Serial Number Listing Information

Serial number information is listed to show on which machines each part can be used; for example:

- The part can be used on all products.
- 000000 – The part can be used on products beginning with the serial number listed.
- 000000 The part can be used on products up to and including the serial number listed.
- 000000 – 000000 The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

Illustrations

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.

Ag and Turf Hay and Forage —Trademarks

AutoTrac™	CommandCenter™	MIG™
GreenStar™	CommandTouch™	Nothing Runs Like a Deere™
Harvest Smart™	CTS™	PowerGard™
HarvestLab™	iTorque™	PowerTech™
HARVESTRAK™	IVLOC™	Funk™
HillMaster™	IVT™	iTorque™
HydraFlex™	JDLink™	Phoenix™
ProDrive™	John Deere™	PowerTech™
ClimaTrak™	Service ADVISOR™	TMII™
CommandARM™	Spout-Trak™	TMIII™
BaleTrak™	BaleWatch™	COVER-EDGE™
MaxiCut™	DiamondTough™	Dura-Drum™
Dura-Guard™	MegaTough™	MegaFeed™
MegaWide™	MegaTooth™	IntelliGuard™
IntelliAxle™		

Ag and Turf Hay and Forage — Terms and Abbreviations

Phrase	Meaning	Phrase	Meaning
ALSO ORDER	Also Order	OD	Outside Diameter
APPL	This Application Only	OPTIONAL	Optional
AR	As Required	OR	Or
ASSY	Complete Assembly	ORD	Order
CNLA	Complete No Longer Available (Order Individual Parts)	ORD W/	Order With
CTL	Cut To Length	OUTER	Outer
FOR	For	PACKG	Package of
ID	Inside Diameter	RATIO	Ratio
INCL	Includes	REAR	Rear
INCL KEYS	Including Keys	REMAN	Remanufactured
INNER	Inner	RH	Right Hand
KIT	Kit	STD	Standard
L	Number of Links to Chains	SUB	Replaced by
LGTH	Length	SUB FOR	Substitute for
LH	Left Hand	TK	Thickness
LOW	Lower	UP	Upper
MARKED	Marked	USE WITH	Use With
MF	Make From	W/	With
NLA	No Longer Available	W/O	Without
NSEP	Not Supplied Separately	Z	Gear and Sprocket Teeth Number