John Deere 3028EN Tractor

PY348083 A.1



John Deere Tractor
(Specification and Design Subject to Change Without Notice)

To The Customer

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

SI Units of Measure

Metric dimensions are provided as applicable throughout this parts catalog.

Bolt and Cap Screw Strength Identification

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

Serial Number Listing Information

Serial number information is listed to show on which machines each part can be used; for example:

	–		The part can be used on all products.
000000	–		The part can be used on products beginning with the serial number listed.
	–	000000	The part can be used on products up to and including the serial number listed.
000000	–	000000	The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

Illustrations

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.

Ag and Turf Tractor — Trademarks

ACS™	GreenStar™	PowrQuad™
ActiveSeat™	Harvest Smart™	PowrReverser™
AirCushion™	HarvestLab™	PowrSync™
AutoPowr™	HillMaster™	ProDrive™
AutoQuad™	HydraFlex™	QuikTach™
AutoTrac™	iMatch™	Reman™
Bullet Rotor™	iTorque™	Roll-Gard™
ClimaTrak™	IVLOC™	Service ADVISOR™
ComfortCommand™	IVT™	StarFire™
ComfortGard™	JDLink™	StellarSupport™
CommandARM™	Load Command™	STS™
CommandCenter™	Mega Track™	SyncReverser™
CommandTouch™	Nothing Runs Like a Deere™	SyncroPlus™
CommandView™	Parallel Tracking™	SyncShift™
Contour-Master™	PermaClutch 2™	SyncShuttle™
COOL-GARD™	Phoenix™	TLS™ (Triple-Link Suspension)
Field Office™	Power Zero™	TMIII™
FieldCruise™	PowerGard™	TMII™
Funk™	PowerTech™	Vari-Cool™

Ag and Turf Tractor — Terms and Abbreviations

Phrase	Meaning		Phrase	Meaning
2WD	Two Wheel Drive		NA	Not Applicable
4WD	Four Wheel Drive		OD	Outside Diameter
A/C	Air Conditioning		OOS	Open Operator's Station
AH	Ampere-hour		OPTION	Option
ALSO ORDER	Also Order		OR	Or
AND	And		ORDER	Order
APPL	This Application Only		ORDER WITH	Order With
AR	As Required		OS	Oversize
CAC	Charge Air Cooler		PC-HYDRAULICS	Pressure Compensated Hydraulics
CTL	Cut To Length		PFC-HYDRAULICS	Pressure and Flow Compensated Hydraulics
DEF	Diesel Exhaust Fluid		PKG	Package of
ECU	Engine Control Unit		PST	Power Shift Transmission
EGR	Exhaust Gas Recirculation		PTO	Power Take-Off
FOR	For		REAR	Rear
FRONT	Front		REMAN	Remanufactured
FT4	Final Tier 4 / Stage-IV		RH	Right Hand
HCS	Hydraulic Cab Suspension		ROPS	Roll Over Protection Structure
HI-LO	High-Low		SCR	Selective Catalytic Reduction
HMS	Headland Management System		SCV	Selective Control Valve
HVAC	Heating, Ventilation and Air Conditioning		SFA	Front Axle Suspension Control Unit and/Or Cab Suspension Unit
ICV	Independent Control Valve		SSU	Control Unit for Steering System (AutoTrac™)
ID	Inside Diameter		STD	Standard
INCLUDES	Includes		SUB FOR	Substitute For

Phrase	Meaning		Phrase	Meaning
IT4	Interim Tier 4 / Stage-IIIb		T2	Tier 2 / Stage-II
KIT	Kit		T3	Tier 3 / Stage-IIIa
LGTH	Length		TCU	Transmission Control Unit
LH	Left Hand		TK	Thickness
LS	Load Sensing		UP	Upper
LTC	Low Temperature Circuit		USE WITH	Use With
MARKED	Marked		W/	With
MF	Make From		W/O	Without
MFWD	Mechanical Front Wheel Drive		Z	Gear and Sprocket Teeth Number

Product Identification Number, 17-Digit

PY348082 A.1



1 - Tractor Manufacturer	1 PY- John Deere India Private Limited(Pune)
2 - Tractor Model	3028EN
3 - Security Code	Security code- System auto generated alphabet
4 - Year of Manufacture	According to the year of manufacturing table- refer attached table
5 - Factory Specific Information	"A" is for India market product family
6 - Tractor Serial Number	Sequential Manufacturing number- Starting from 000001

Characters Used to Designate Tractor Production Year

Year	Code	Year	Code	Year	Code	Year	Code
2008	8	2018	J	2028	W	2038	8
2009	9	2019	K	2029	X	2039	9
2010	A	2020	L	2030	Y	2040	A
2011	B	2021	M	2031	1	2041	B
2012	C	2022	N	2032	2	2042	C
2013	D	2023	P	2033	3	2043	D
2014	E	2024	R	2034	4	2044	E
2015	F	2025	S	2035	5	2045	F
2016	G	2026	T	2036	6	2046	G
2017	H	2027	V	2037	7	2047	H

PY55485 A.1


JOHN DEERE
MAKE
JOHN DEERE
MODEL
5060 F
CHASSIS SERIAL NO
1PY5060EKBA000329
ENGINE SERIAL NO.
PY3029H003365
BAR CODE
PY55485