

John Deere Tractor (Specification and Design Subject to Change Without Notice)

To The Customer

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

SI Units of Measure

Metric dimensions are provided as applicable throughout this parts catalog.

Bolt and Cap Screw Strength Identification

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

Serial Number Listing Information

Serial number information is listed to show on which machines each part can be used; for example:

– The part can be used on all products.

- The part can be used on products beginning with the serial number listed.

– 000000 The part can be used on products up to and including the serial number listed.

000000 – 000000 The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

Illustrations

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

000000

Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.


Ag and Tur	Tractor —	Trademarks
------------	-----------	------------

GreenStar™	PowrQuad™		
Harvest Smart™	PowrReverser™		
HarvestLab™	PowrSync™		
HillMaster™	ProDrive™		
HydraFlex™	QuikTach™		
iMatch™	Reman™		
iTorque™	Roll-Gard™		
IVLOC™	Service ADVISOR™		
IVT™	StarFire™		
JDLink™	StellarSupport™		
Load Command™	STS™		
Mega Track™	SyncReverser™		
Nothing Runs Like a Deere™	SyncroPlus™		
Parallel Tracking™	SyncShift™		
PermaClutch 2™	SyncShuttle™		
Phoenix™	TLS™ (Triple-Link Suspension)		
Power Zero™	TMIII™		
PowerGard™	TMII™		
PowerTech™	Vari-Cool™		
	HarvestLab™ HillMaster™ HydraFlex™ iMatch™ iTorque™ IVLOC™ IVT™ JDLink™ Load Command™ Mega Track™ Nothing Runs Like a Deere™ Parallel Tracking™ PermaClutch 2™ Phoenix™ Power Zero™ PowerGard™		

		Ag and Turf Tractor —		oreviations	1	
Phrase		Meaning	Phrase		Meaning	
2WD		Two Wheel Drive	NA		Not Applicable	
4WD		Four Wheel Drive	OD		Outside Diameter	
A/C		Air Conditioning	oos		Open Operator's Station	
АН		Ampere-hour	OPTION		Option	
ALSO ORDER		Also Order	OR		Or	
AND		And	ORDER		Order	
APPL		This Application Only	ORDER WITH	4	Order With	
AR		As Required	OS		Oversize	
CAC		Charge Air Cooler	PC-HYDRAU	LICS	Pressure Compensated Hy- draulics	
CTL		Cut To Length	PFC-HYDRA	ULICS	Pressure and Flow Compen- sated Hydraulics	
DEF		Diesel Exhaust Fluid	PKG		Package of	
ECU		Engine Control Unit	PST		Power Shift Transmission	
EGR		Exhaust Gas Recirculation	PTO		Power Take-Off	
FOR		For	REAR		Rear	
FRONT		Front	REMAN		Remanufactured	
FT4		Final Tier 4 / Stage-IV	RH		Right Hand	
HCS		Hydraulic Cab Suspension	ROPS		Roll Over Protection Structure	
HI-LO		High-Low	SCR		Selective Catalytic Reduction	
HMS		Headland Management Sys- tem	SCV		Selective Control Valve	
HVAC		Heating, Ventilation and Air Conditioning	SFA		Front Axle Suspension Control Unit and/Or Cab Suspension Unit	
ICV		Independent Control Valve	SSU		Control Unit for Steering Sys- tem (AutoTrac™)	
ID		Inside Diameter	STD		Standard	
INCLUDES		Includes	SUB FOR		Substitute For	
Phrase	Mean	ing	Phrase	Meaning		
IT4	Interin	n Tier 4 / Stage-IIIb	T2	Tier 2 / Stage	 }-	
кіт	Kit		ТЗ	Tier 3 / Stage	-Illa	
LGTH	Lengt	h	TCU	Transmissior	Control Unit	
LH	Left H	and	ТК	Thickness		
LS	Load	Sensing	UP	Upper		
LTC	Low T	emperature Circuit	USE WITH	Use With		
MARKED	Marke	d	W/	With	With	
MF	Make	Make From		Without	Without	
MFWD	Mecha	anical Front Wheel Drive	Z	Gear and Sp	Gear and Sprocket Teeth Number	
l						

3028EN Tractor

Product Identification Number, 17-Digit PY348082 A.1



1 - Tractor Manufacturer	1 PY- John Deere India Private Limited(Pune)		
2 - Tractor Model	3028EN		
3 - Security Code	Security code- System auto generated alphabet		
4 - Year of Manufacture	According to the year of manufacturing table- refer attached ta- ble		
5 - Factory Specific Information	"A" is for India market product family		
6 - Tractor Serial Number	Sequential Manufacturing number- Starting from 000001		
Characters Used to Designate Tractor Production Year			

Year	Code	Year	Code	Year	Code	Year	Code
2008	8	2018	J	2028	W	2038	8
2009	9	2019	К	2029	Х	2039	9
2010	A	2020	L	2030	Y	2040	A
2011	В	2021	М	2031	1	2041	В
2012	С	2022	N	2032	2	2042	С
2013	D	2023	Р	2033	3	2043	D
2014	E	2024	R	2034	4	2044	E
2015	F	2025	S	2035	5	2045	F
2016	G	2026	Т	2036	6	2046	G
2017	Н	2027	V	2037	7	2047	Н

3028EN Tractor

