


John Deere™ 900 Professional Lawnmower  
PU13328 A.1



PU13328

John Deere™ 900 Professional Lawnmower  
2002 MODEL (SN DM0900X192008- )

*(Specifications and design subject to change without notice)*

**Product Identification and Serial Number Plate**

An individual product identification and serial number is assigned to each machine. When writing about or filling out warranty claims, use all the characters shown on the plate.

Example: DM0900X192008  
1TC-Factory Designation (Turf Care)  
900-Model Or Machine Designation (John Deere™ 900 Professional Lawnmower)  
U-Configuration Code  
+-Random Number  
N-Calendar Year  
010001-Serial Number

**Product Configuration Code**

The configuration "alpha" code identifies a variation of a product. Example: A machine may be manufactured as a two-wheel or four-wheel drive unit, and be shipped with standard or wide cutting units; thus four variations of the same machine exist. It also identifies different products which have the same model or machine designation (a tractor and an attachment tiller may have the same model numbers). If no configuration "alpha" code is required, space is filled in with an "X".

**Serial Number Listing Information**

Serial number information is listed to show on which machines each part can be used; for example:

- The part can be used on all products.
- 000000 - The part can be used on products beginning with the serial number listed.
- 000000 The part can be used on products up to and including the serial number listed.
- 000000 - 000000 The part can be used on products between and including the serial number listed.

When XXXXXX's are listed in place of a serial number, a serial number change was made, but the exact serial number was not available at the time of publication.

**To The Customer**

The part numbers in this Parts Catalog were correct at the time of publication. Per John Deere policy, we continuously improve our products. Therefore, when ordering parts verify the part numbers with your dealer.

## SI Units of Measure

Metric dimensions are provided as applicable throughout this parts catalog.

## Bolt and Cap Screw Strength Identification

Bolts and cap screws required to have high-strength qualities equivalent to metric property class 10.9 (SAE grade 8) or higher are identified throughout this catalog by the description 10.9, 12.9 or 14.9. All standard bolts and cap screws are metric property class 8.8 (SAE grade 5) or lower.

## Illustrations

Illustrations in this catalog are only intended as a reference for dealers and customers. These illustrations do not necessarily represent the exact view of the parts.

## Box-Enclosed Illustrations

Box-enclosed keyed parts in the illustration are available as a service assembly or an attachment. These parts may also include parts not available for service. The illustrations may not show all individual parts of an attachment. A box not keyed includes non-current parts.

## Orientation Of Product

An arrow shown with an illustration is to indicate the direction of product forward travel. Right Hand (RH) and Left Hand (LH) sides are determined by product forward travel.

## Orientation of Engine

Right Hand (RH) and Left Hand (LH) sides are determined by standing at flywheel and facing the engine.

## John Deere Remanufactured Components

The REMAN parts listed in this catalog are intended for the repair or replacement of failed or worn original equipment components. John Deere Reman components are manufactured to stringent John Deere standards and produced to original John Deere specifications that incorporates the latest design and performance improvement updates.

## Ag and Turf Turf and Utility — Trademarks

|                       |               |                  |
|-----------------------|---------------|------------------|
| 7-Iron™               | Quik-Trak™    | Mulch On Demand™ |
| Aercore™              | Ready To Mow™ | Trail Gator™     |
| Auto 4x4 Wheel Drive™ | RGator™       | Turf Gator™      |
| AutoConnect™          | Roll-Gard™    | X700™            |
| AutoTrac™             | iMatch™       | ZTrak™           |
| Buck™                 | John Deere™   | Funk™            |
| Gator™                | SelectSpray™  | iTorque™         |
| Greens Tender™        | TerrainCut™   | Phoenix™         |
| Precision Cut Reel™   | E-Gator™      | PowerTech™       |
| PrecisionCut™         | eHydro™       | TMII™            |
| ProGator™             | EZtrak™       | TMIII™           |

**Ag and Turf Turf and Utility — Terms and Abbreviations**

| Phrase               | Meaning  | Phrase         | Meaning                           |
|----------------------|--|----------------|-----------------------------------|
| A/C                  | Air Conditioning   | NSEP           | Not Supplied Separately           |
| ALSO ORDER           | Also Order   | OD             | Outside Diameter                  |
| AND                  | and  | OOS            | Open Operator's Station           |
| APPL                 | This Application Only                                    | OPTION         | Option                            |
| AR                   | As Required  | OPTIONAL       | Optional                          |
| ASSY                 | Complete Assembly  | OR             | Or                                |
| CNLA                 | Complete No Longer Available<br>(Order Individual Parts) | ORD            | Order                             |
| COMPLETE             | Complete   | ORD W/         | Order With                        |
| CTL                  | Cut To Length  | OS             | Oversize                          |
| CW                   | Clockwise  | OUTER          | Outer                             |
| ECU                  | Engine Control Unit                                      | PKG            | Package of                        |
| FI                   | Field Installation Kit                                   | PTO            | Power Take-Off                    |
| FIP                  | Fuel Injection Pump                                      | RATIO          | Ratio                             |
| FOR                  | For  | RCU            | Reverser Control Unit             |
| FRONT                | Front  | REAR           | Rear                              |
| HS, HEAD MARKED      | High Strength, Head Marked                               | REMAN          | Remanufactured                    |
| HTC                  | Heater Control Unit                                      | RH             | Right Hand                        |
| ID                   | Inside Diameter  | SCV            | Selective Control Valve           |
| INCL                 | Includes   | STD            | Standard                          |
| INCL KEYS            | Including Keys   | SUB            | Replaced by                       |
| INCLUDE PARTS MARKED | Include Parts Marked                                     | SUB COMPONENTS | Sub Components                    |
| INNER                | Inner  | SUB FOR        | Substitute for                    |
| KIT                  | Kit  | TK             | Thickness                         |
| LGTH                 | Length   | UIM            | User Interface Module             |
| LH                   | Left Hand  | UP             | Upper                             |
| LOW                  | Lower  | US             | Undersize                         |
| MARKED               | Marked   | USE WITH       | Use With                          |
| MF                   | Made From  | W/             | With                              |
| MFWD                 | Mechanical Front Wheel Drive                             | W/O            | Without                           |
| NA                   | Not Applicable   | Z              | Gear and Sprocket Teeth<br>Number |
| NLA                  | No Longer Available                                      |                |                                   |