


REPLACEMENT PARTS GUIDE

Q820M Quik Trak™ Mower


ENGINE

SPARK PLUG
 [M805853](#)
 Change every 1000 hours.

OIL FILTER
 [AM125424](#)
 Change every 100 hours/ Annually.

ENGINE OIL
 [TY26669](#) (John Deere 10W-30 Plus-50™ II)
[TY22029](#) (John Deere 10W-30 Turf-Gard™)
 CAPACITY- ((2.1 L-2.3 L) (2.2-2.4 qt))
 (WITH FILTER)
 Change every 100 hours/ Annually.


AIR FILTER
 [M131802](#) (PRIMARY AIR FILTER ELEMENT)
 Change every 300 hours.
[M131803](#) (SECONDARY AIR FILTER ELEMENT)
 Change every 500 hours.


JOHN DEERE MULTI - PURPOSE HD LITHIUM COMPLEX GREASE
 [TY24416](#)
GREASE GUN
[TY26183](#)
 Change As Required.


FUEL FILTER
 [AM116304](#) (IN LINE FUEL FILTER)
[UC21217](#)
 Change every 300 hours.





ELECTRICAL

 **IGNITION KEY**
[AUC12681](#)


 **ROTARY SWITCH**
[AUC18708](#)


 **ROCKER SWITCH**
[AUC15008](#)

 **CONTROL LEVER THROTTLE CABLE**
[AUC18920](#)


 **WET CHARGED BATTERY**
[TY25221B](#) (12 V, 30 AH, 350 CCA, U1 BCI)


FUEL & AIR


 **FUEL TANK FILLER CAP**
[TCA19830](#)

 **MUFFLER**
[AUC18528](#)

TRANSMISSION / HYDRAULIC

 **TRANSMISSION AND HYDRAULIC OIL**
[TY6354](#) (John Deere Hy-Gard™)
 (5.7 L (6.0 qt) (WITH FILTER / DRY))
 Change every 300 hours.

 **HYDRAULIC FILTER**
[MIA881446](#)
 Change every 300 hours.

 **TRACTION DRIVE BELT**
[UC32307](#) (LGTH = 1699 mm, WIDTH = 11 mm, TK = 13.5 mm)

REPLACEMENT PARTS GUIDE

Q820M Quik Trak™ Mower with 48 inch Side Discharge Deck

MOWER BLADE


 [TCU30315](#) (CUT LENGTH = 110 mm)
(HIGH LIFT)

 [M136194](#) (CUT LENGTH = 114.7 mm)
(STANDARD LIFT)

 [M136185](#) (CUT LENGTH = 176.7 mm)
(MULCH BLADE)

 [TCU18678](#) (CUT LENGTH = 108 mm)
(LOW LIFT)

FLAT MOWER BELT

 [UC17621](#) (LGTH = 3298 mm,
WIDTH = 14 mm, TK = 21.1 mm)

MOWER DECK LEVELLING

 [AM130907](#)



GAGE WHEELS

 [UC28193](#)

MULCH KIT

 [TCB10952](#)

REPLACEMENT PARTS GUIDE

Q820M Quik Trak™ Mower with 54 inch Side Discharge Deck

MOWER BLADE

[TCU30317](#) (CUT LENGTH = 110 mm)
(HIGH LIFT)

[TCU30316](#) (CUT LENGTH = 114.1 mm)
(STANDARD LIFT)


[M135334](#) (CUT LENGTH = 178.1 mm)
(MULCH BLADE)

FLAT MOWER BELT

[UC31640](#) (LGTH = 3666 mm,
WIDTH = 14 mm, TK = 21.1 mm)

MOWER DECK LEVELLING

[AM130907](#)



GAGE WHEELS

[UC28193](#)

MULCH KIT

[TCB11469](#)

REPLACEMENT PARTS GUIDE

Q820M Quik Trak™ Mower with 60 inch Side Discharge Deck

MOWER BLADE


 [TCU15881](#) (CUT LENGTH = 120 mm)
(HIGH LIFT)

 [M128485](#) (CUT LENGTH = 110 mm)
(STANDARD LIFT)

 [M168223](#) (CUT LENGTH = 200.6 mm)
(MULCH BLADE)

 [M133381](#) (CUT LENGTH = 110 mm)
(LOW LIFT)

FLAT MOWER BELT

 [UC23309](#) (LGTH = 3955 mm,
WIDTH = 14 mm, TK = 21.1 mm)

MOWER DECK LEVELLING

 [AM130907](#)



GAGE WHEELS

 [UC28193](#)

MULCH KIT

 [TCB10953](#)