









# REPLACEMENT PARTS GUIDE

## Q865R EFI Quik-Trak Stand-On Mower



# Required Parts

## Q865R EFI Quik-Trak Stand-On Mower

Sequence	Description	Image	PartNumber	Quantity	Interval Hrs	Remarks
1	Engine Oil Filter		<a href="#">AM107423</a>	1	100	
2	Premium Engine Oil, Plus-50™ II, SAE 10W-30, API CK4/SN, 946 ml (32 Fluid Oz)		<a href="#">TY26669</a>	1	100	John Deere 10W-30 Plus-50™ II
3	4-Cycle Engine Oil, Turf-Gard™, SAE 10W-30, API SN/GF6, 946 ml (32 Fluid Oz)		<a href="#">TY22029</a>	2	100	John Deere 10W-30 Turf-Gard CAPACITY-((2.1 L-2.3 L) (2.2-2.4 qt)) (WITH FILTER)
4	Transmission Oil Filter with Packing		<a href="#">MIA881446</a>	1	300	
5	Transmission and Hydraulic Oil, Hy-Gard™, 3.78 Liter (1 Gallon)		<a href="#">TY6354</a>	6	300	John Deere Hy-Gard™ (5.7 L (6.0 qt)) (WITH FILTER / DRY)
6	Inline Fuel Filter		<a href="#">UC21217</a>	1	300	
7	Primary Air Filter Element		<a href="#">M131802</a>	1	300	PRIMARY
8	Secondary Air Filter Element		<a href="#">M131803</a>	1	500	SECONDARY










# Required Parts

## Q865R EFI Quik-Trak Stand-On Mower

Sequence	Description	Image	PartNumber	Quantity	Interval Hrs	Remarks
9	Spark Plug		<a href="#">M128206</a>	1	1000	
10	Ignition Key		<a href="#">AUC12681</a>	1	AR	
11	Rotary Ignition Switch		<a href="#">AUC18708</a>	1	AR	
12	Toggle/Rocker Switch		<a href="#">AUC15008</a>	1	AR	
13	Push Pull Cable		<a href="#">AUC18921</a>	1	AR	
14	12 Volt Battery, Wet Charged, 30 Ah, 350 CCA, U1 BCI		<a href="#">TY25221B</a>	1	AR	
15	Filler Cap		<a href="#">TCA19830</a>	1	AR	
16	Muffler		<a href="#">AUC20738</a>	1	AR	
17	V-Belt, Effective Length 1699 mm (66.9 inch)		<a href="#">UC32307</a>	1	AR	LGTH = 1699 mm, WIDTH = 11 mm, TK = 13.5 mm
18	Multi-Purpose Heavy-Duty (HD) Lithium Complex Grease, 397 gram (14 Oz) Cartridge		<a href="#">TY24416</a>	1	AR	JOHN DEERE MULTI-PURPOSE HD LITHIUM COMPLEX GREASE






# Required Parts

## Q865R EFI Quik-Trak Stand-On Mower

Sequence	Description	Image	PartNumber	Quantity	Interval Hrs	Remarks
19	Grease Gun		<a href="#">TY26183</a>	1	AR	
20	Gauge Wheel		<a href="#">TCU34060</a>	3	AR	
21	Gauge Wheel		<a href="#">UC28193</a>	2	AR	
22	Mulching Attachment, 60 inch		<a href="#">TCB10953</a>	1	AR	
23	Mower Deck Level Gauge		<a href="#">AM130907</a>	1	AR	
24	V-Belt, Effective Length 3955 mm (155.7 inch)		<a href="#">UC23309</a>	1	AR	60 inch SD, LGTH = 3955 mm, WIDTH = 14 mm, TK = 21.1 mm
25	Mower Deck SPB Section V-Belt		<a href="#">UC16434</a>	1	AR	60 Inch RD, LGTH = 4054.5 mm
26	Mower Deck Drive V-Belt		<a href="#">TCU35604</a>	1	AR	72 Inch SD, LGTH = 4635 mm, WIDTH = 14 mm, TK = 18 mm
27	High Lift Mower Blade, 60 inch, Cut Length 120 mm (4.7 inch)		<a href="#">TCU15881</a>	1	AR	60 Inch SD/RD, (HIGH LIFT) (CUT LENGTH = 120 mm)

# Required Parts

## Q865R EFI Quik-Trak Stand-On Mower

Sequence	Description	Image	PartNumber	Quantity	Interval Hrs	Remarks
28	Mower Blade, High Capacity, 60 Inch, Cut Length 100 mm		<a href="#">M128485</a>	1	AR	60 Inch SD/RD , (STANDARD LIFT) (CUT LENGTH = 110 mm)
29	Mulch Blade, 60 inch, Cut Length 8 inch (200.6 mm)		<a href="#">M168223</a>	1	AR	60 Inch SD ,(CUT LENGTH = 220.6 mm)
30	Low Lift Lawn Mower Blade, 60 inch, Cut Length 4.3 inch (110 mm)		<a href="#">M133381</a>	1	AR	60 Inch SD ,(CUT LENGTH = 110 mm)
31	High Lift Mower Blade, 72 inch, Cut Length 120 mm (4.7 inch)		<a href="#">TCU15882</a>	1	AR	72 Inch SD,(HIGH LIFT) (CUT LENGTH = 120 mm)
32	Low Lift Mower Blade, 72 inch, Cut Length 110 mm (4.3 inch)		<a href="#">M141669</a>	1	AR	72 Inch SD,(LOW LIFT) (CUT LENGTH = 110 mm)